

SAFETY DATA SHEET**IMMOIL-F30CC****SECTION 1: IDENTIFICATION**

Product name : IMMOIL-F30CC

Manufacturer or supplier's details

Company : Evident Australia Pty Ltd

Address : Level 4, 97 Waterloo Road Macquarie Park,
NSW 2113

Telephone : +61-1800-844-211

Emergency telephone number : 13-11-26 (Poison Information Centre)

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitisation : Sub-category 1A

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves.**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON

SAFETY DATA SHEET**IMMOIL-F30CC**

CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P331 Do NOT induce vomiting.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
4-(1-Phenylethyl)-o-xylene	6196-95-8	>= 10 -< 30
4-(1-Phenylethyl)-m-xylene	6165-52-2	>= 10 -< 30
2-(1-Phenylethyl)-p-xylene	6165-51-1	>= 1 -< 10
Ethyl(phenylethyl)benzene	64800-83-5	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
If vomiting occurs have person lean forward.
Call a physician or poison control centre immediately.

SAFETY DATA SHEET**IMMOIL-F30CC**

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

SAFETY DATA SHEET**IMMOIL-F30CC**

Environmental precautions	<ul style="list-style-type: none"> : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	<ul style="list-style-type: none"> : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	<ul style="list-style-type: none"> : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	<ul style="list-style-type: none"> : Use only with adequate ventilation.
Advice on safe handling	<ul style="list-style-type: none"> : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	<ul style="list-style-type: none"> : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.
Conditions for safe storage	<ul style="list-style-type: none"> : Keep in properly labelled containers. Store locked up. Keep tightly closed.

SAFETY DATA SHEET**IMMOIL-F30CC**

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

SAFETY DATA SHEET**IMMOIL-F30CC**

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	< 200 °C
Flash point	:	134 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Ignitable (see flash point)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	< 1.0
Relative density	:	0.9169 (15 °C)
Density	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

SAFETY DATA SHEET**IMMOIL-F30CC**

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation
		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Components:**4-(1-Phenylethyl)-o-xylene:**

Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg
		Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
		Method: OECD Test Guideline 402
		Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Acute oral toxicity	:	LD50 (Rat): > 2,000 - 5,000 mg/kg
		Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg
		Method: OECD Test Guideline 402

SAFETY DATA SHEET**IMMOIL-F30CC**

Remarks: Based on data from similar materials

2-(1-Phenylethyl)-p-xylene:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Ethyl(phenylethyl)benzene:

Acute oral toxicity : LD50 (Rat): > 1,000 mg/kg
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:**Ethyl(phenylethyl)benzene:**

Species : Rabbit
Result : Skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Components:**4-(1-Phenylethyl)-o-xylene:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Ethyl(phenylethyl)benzene:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

SAFETY DATA SHEET**IMMOIL-F30CC****Respiratory sensitisation**

Not classified based on available information.

Product:

Species	:	Guinea pig
Method	:	Buehler Test
Result	:	negative
	:	Guinea pig
	:	Maximisation Test
	:	The product is a skin sensitiser, sub-category 1A.

Components:**4-(1-Phenylethyl)-o-xylene:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

Ethyl(phenylethyl)benzene:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	negative
Remarks	:	Based on data from similar materials

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**4-(1-Phenylethyl)-o-xylene:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

Test Type: Chromosome aberration test in vitro

SAFETY DATA SHEET**IMMOIL-F30CC**

Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative
 Remarks: Based on data from similar materials

2-(1-Phenylethyl)-p-xylene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: OECD Test Guideline 473
 Result: negative

Ethyl(phenylethyl)benzene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative
 Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
 Result: negative
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
 Result: negative
 Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**4-(1-Phenylethyl)-o-xylene:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 24 Months
 Result : negative
 Remarks : Based on data from similar materials

SAFETY DATA SHEET**IMMOIL-F30CC****4-(1-Phenylethyl)-m-xylene:**

Species : Rat
 Application Route : Ingestion
 Exposure time : 24 Months
 Result : negative
 Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:**4-(1-Phenylethyl)-o-xylene:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

2-(1-Phenylethyl)-p-xylene:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat

SAFETY DATA SHEET**IMMOIL-F30CC**

Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative

Ethyl(phenylethyl)benzene:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 422
 Result: negative
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Method: OECD Test Guideline 414
 Result: negative
 Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:**2-(1-Phenylethyl)-p-xylene:**

Exposure routes : Ingestion
 Target Organs : Adrenal gland
 Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity**Components:****2-(1-Phenylethyl)-p-xylene:**

Species : Rat, male
 LOAEL : 12.5 mg/kg
 Application Route : Ingestion
 Exposure time : 47 Days
 Method : OECD Test Guideline 422

SAFETY DATA SHEET**IMMOIL-F30CC****Aspiration toxicity**

May be fatal if swallowed and enters airways.

Components:**4-(1-Phenylethyl)-o-xylene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

4-(1-Phenylethyl)-m-xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

2-(1-Phenylethyl)-p-xylene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Ethyl(phenylethyl)benzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****4-(1-Phenylethyl)-o-xylene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.56 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

SAFETY DATA SHEET**IMMOIL-F30CC**

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

2-(1-Phenylethyl)-p-xylene:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.31 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.25 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (fresh water algae)): > 1.54 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (fresh water algae)): 0.73 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.034 mg/l
 Exposure time: 40 d
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.009 mg/l
 Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

Ethyl(phenylethyl)benzene:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.1 - 1 mg/l
 Exposure time: 48 h
 Test substance: Water Accommodated Fraction
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

SAFETY DATA SHEET**IMMOIL-F30CC**

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209
 Remarks: Based on data from similar materials

Persistence and degradability**Components:****4-(1-Phenylethyl)-o-xylene:**

Biodegradability : Result: Not readily biodegradable.
 Remarks: Based on data from similar materials

4-(1-Phenylethyl)-m-xylene:

Biodegradability : Result: Not readily biodegradable.
 Remarks: Based on data from similar materials

2-(1-Phenylethyl)-p-xylene:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 0 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301C

Ethyl(phenylethyl)benzene:

Biodegradability : Result: Not readily biodegradable.
 Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****4-(1-Phenylethyl)-o-xylene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): > 500
 Method: OECD Test Guideline 305
 Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: > 4
 Remarks: Calculation

4-(1-Phenylethyl)-m-xylene:

Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): > 500
 Method: OECD Test Guideline 305
 Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: > 4
 Remarks: Calculation

SAFETY DATA SHEET**IMMOIL-F30CC****2-(1-Phenylethyl)-p-xylene:**

Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): 620 - 760
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.39
 Method: OECD Test Guideline 107

Ethyl(phenylethyl)benzene:

Partition coefficient: n-octanol/water : log Pow: > 4
 Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
 Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
 If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)

Class : 9
 Packing group : III
 Labels : 9
 Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
 (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)

Class : 9
 Packing group : III
 Labels : Miscellaneous

SAFETY DATA SHEET**IMMOIL-F30CC**

Packing instruction (cargo aircraft) : 964
 Packing instruction (passenger aircraft) : 964
 Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (2-(1-Phenylethyl)-p-xylene, 4-(1-Phenylethyl)-o-xylene)
 Class : 9
 Packing group : III
 Labels : 9
 Hazchem Code : •3Z
 Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
 Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

SAFETY DATA SHEET**IMMOIL-F30CC**

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 03.07.2025

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

IMMOIL-F30CC

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN